

# Designing a metadata ecosystem for language research based on Research Object Crate (RO-Crate)

Peter Sefton, Nick Thieberger, Marco La Rosa, Simon Musgrave, River Tae Smith, Moises Sacal Bonequi




**Australian Research Data Commons**



The Language Data Commons of Australia (LDaCA) and Australian Text Analytics Platform (ATAP) projects received investment (<https://doi.org/10.47486/DP768> and <https://doi.org/10.47486/PL074>) from the Australian Research Data Commons (ARDC). The ARDC is funded by the National Collaborative Research Infrastructure Strategy (NCRIS).

ARC LIEF LE210100013 (2021-2024) Nyingarn: a platform for primary sources in Australian Indigenous languages



THE UNIVERSITY  
OF QUEENSLAND  
AUSTRALIA



australian text  
analytics platform  
atap.edu.au

## CREATE CHANGE

Partner  
Institutions:



MONASH  
University



Australian  
National  
University



THE UNIVERSITY OF  
SYDNEY

With thanks for their contribution:



AIATSIS





## Pacific and Regional Archive for Digital Sources in Endangered Cultures

Running for 20 years

1,337 languages represented

675 collections

37,510 items

405,289 files


15,540 hours (audio)

2,465 hours (video)

193 TB

October 2022







# PARADISEC ACCESS

**PARADISEC  
collection**

**37,510 items  
405,289 files**

**Delivery to source community**


Item 1 (20 files)

Item 2 (2 files)

Item 3 (4 files)

Item 4 (7 files)

Problem : no catalog accompanies the files



<https://language-archives.services/about/data-loader>

# AUSLAN CORPUS ACCESS

ELAR: limited search capability, non-standard metadata schema, no ability to index annotation files, no bulk download

The ELAR interface shows a sidebar with a 'Language' section containing a list of dialects: Adelaide dialect (174), Brisbane dialect (166), Melbourne dialect (173), Northern dialect (333), Perth dialect (170), Southern dialect (517), and Sydney dialect (168). Below this is a 'Person' section with 'AAM1, male, aged 34 (9)' and 'AAM2, female, aged 42 (8)'. The main content area displays search results for 'S\_SubscriberAccess', listing items like 'AAM1A1c3 - Recall event - Recollection', 'AAM1A1c4a - Name signs - Attitudes survey', 'AAM1A2c6ii - Canary Row cartoon - Bowling ball', 'AAM1A2c6iv - Canary Row cartoon - Birdcage', 'AAM1A2c7b - View story in Auslan, re-tell in Auslan - Vale', 'AAM1A3c8a - VMP verbs of motion production', 'AAM1A3c8b - NVP noun verb pair production', and 'AAM1A3c9a - Sign order elicitation task - Volterra'.

The LDaCA interface shows a search for 'c2a' in the 'Language Data Commons of Australia'. The search results show '2 Collections with 288 well described items'. The first result is 'ELDP' (ELDP), which contains a 'Dataset' and a 'RepositoryCollection'. The second result is 'auslan', which also contains a 'Dataset' and a 'RepositoryCollection'. Under the 'Items' section, there is a result for '2006-03-14 - Session c2a - re-telling', which contains a 'Dataset' and is a 'RepositoryObject' in the 'ELDP' collection. A red arrow points from the 'AAM1A3c8a' item in the ELAR interface to the 'c2a-Wolf' item in the LDaCA interface.

LDaCA: rich metadata-first search, portable RO-Crate metadata, indexed annotations, bulk downloading of search results

data.atap.edu.au/main

## Australian TextAnalytics Platform

Search...

[Collections](#) [Notebooks](#)

### A COrpus of Oz Early English (COOEE)

Material to be included had to meet with a regional and a temporal criterion. The latter required texts to have been produced between 1788 and 1900 in order to become eligible for COOEE. It was mandatory for a...

<b>Language</b>	<b>Access</b>
English : 4071	<a href="#">Attribution 4.0 International (CC BY 4.0)</a>
<b>Linguistic Genre</b>	Public Metadata
Private Written : 610	Indexed
Public Written : 405	
Government English : 195	
Speech Based : 147	
<b>Modality</b>	
Orthography : 4071	
<b>File Formats</b>	
text/plain : 2714	

[More](#)

### Farms to Freeways Example Dataset

This data set was exported from an Omeka Repository as an example of a DataCrate. It contains the Collections and Items from the repository but does NOT have the exhibitions. The DOI resolves to an archive of the...

<b>Language</b>	<b>Access</b>
English : 136	<a href="#">Attribution 3.0 Australia (CC BY 3.0 AU)</a>
<b>Linguistic Genre</b>	Public Metadata
Interview : 34	Indexed
<b>Modality</b>	
Orthography : 68	
Speech : 34	
<b>File Formats</b>	
audio/mpeg : 68	
application/pdf : 34	
text/csv : 34	

[More](#)

© 2022 LDaCA Program LDaCA

data.atap.edu.au/search?q=flood

flood

2 Collections with 60 well described items

[Collections](#)

### A COrpus of Oz Early English (COOEE)

Contains: Dataset

### Farms to Freeways Example Dataset

Contains: Dataset RepositoryCollection

[Items:](#)

#### Text 1-247 1825 Australian, The - text

Contains: File DerivedText

Languages: English

Member Of: A COrpus of Oz Early English (COOEE)

From: Text 1-247 1825 Australian, The

...Rowe made various appointments with this deponent and **Flood**, (whose husband, John **Flood**, has a similar claim) to office, under a promise...

#### Text 3-302 1874 Ranken, William H. Logan - text

Contains: File DerivedText

data/1-247-plain.txt

### File

**Annotation Of** Decisions of NSW Supreme Court

**Modality** Orthography

**Language** English

**Encoding Format** text/plain

**Size** 25 KB

**License** [Attribution 4.0 International \(CC BY 4.0\)](#)

A Rule was granted by the Court, on the 15th ult. calling on Mr. Rowe to shew cause why he should not pay certain monies into Court, and answer the matters contained in the following affidavit:- Caleb Wilson, of Sydney, maketh oath, and saith, that one J. Price, mariner, being indebted to this deponent, M. Landers, and M. Leburn; and the said Price having put into the hands of T.D. Rowe, gent. one of the attornies of this Hon. Court, a certain claim which the said Price had for a share, as a mariner on board a certain ship or vessel called the Emerald, of which one N. Thornton, of Hobart Town, merchant, was captain and owner, to be recovered against the said N. Thornton; the said Price

[Open](#) [Download](#)


Text 1-247 1825 Australian, The - text with metadata codes

data.atap.edu.au/open?id=file%252F430%252Foriginal\_6475a7d80e712494

### ← Interview with Judith Eastwell - Transcript of interview with Judith Eastwell full text trans

time	speaker	speakerID	text	notes
			INTERVIEW NO. 33 DATE OF INTERVIEW: 5/3/92 MR S. JUDITH EASTWELL [interview taken in the Post Office at Quakers Hill.]36 Lal or Road QUAKERS HILL. 2763.	





```
In [9]: # Types of PRIMARY_OBJECTs ie [PRIMARY_OBJECT, X]. What kinds
for entity in ldaca.crate.contextual_entities + ldaca.crate.data_entities:
    if 'RepositoryObject' in as_list(entity.type):
        item = ldaca.crate.dereference(entity.id)
        primary_object_types.append(item.as_jsonld())
```

```
In [10]: import pandas as pd # this means we will refer to pandas as pd
primary_objects_dataframe = pd.json_normalize(primary_object_types)
primary_objects_dataframe
```

Out[10]:

	@id	@type	name	dateCreated	
0	arcp://name.cooeecorpus/item/1-001	RepositoryObject	Text 1-001 1788 Phillip, Arthur	1788	'https://data.atap.edu.au/ldaca/crate/contextual_entities/1-001'
1	arcp://name.cooeecorpus/item/1-002	RepositoryObject	Text 1-002 1788 Phillip, Arthur	1788	'https://data.atap.edu.au/ldaca/crate/contextual_entities/1-002'
2	arcp://name.cooeecorpus/item/1-003	RepositoryObject	Text 1-003 1788 Phillip, Arthur	1788	'https://data.atap.edu.au/ldaca/crate/contextual_entities/1-003'
3	arcp://name.cooeecorpus/item/1-004	RepositoryObject	Text 1-004 1788 Phillip, Arthur	1788	'https://data.atap.edu.au/ldaca/crate/contextual_entities/1-004'
4	arcp://name.cooeecorpus/item/1-005	RepositoryObject	Text 1-005 1788 Phillip, Arthur	1788	'https://data.atap.edu.au/ldaca/crate/contextual_entities/1-005'
...	...	...	...	...	...
1352	arcp://name.cooeecorpus/item/4-421	RepositoryObject	Text 4-421 1897 Phillip, Arthur	1897	'https://data.atap.edu.au/ldaca/crate/contextual_entities/4-421'

## Downloading a file from the ReST API

```
In [15]: import requests
headers = {"Authorization": "Bearer %s" % API_TOKEN}
response = requests.get(url=url, headers=headers)
print(response.text)
```

<source><g=f><o=b><age=40><status=1><abode=09><p=nsw><r=prw><tt=pc><1-061>  
Governor King who has now the command, will make many regulations for the security, of the Colony – and likewise some attention to the rising generation, to which hitherto none but the young Men are to be admitted, if we ever hope for worth or honesty in this settlement, we must look to them for it, and not to the Mortals. A school is now establishing on a very extensive plan, for the reception of the Children whose parents are not proper for such a charge, under the management of the Governor, who are to be entirely secluded from the other people – and brought up in habits of industry, and the Manufactories will be by means of this seminary put on foot particularly making the latter to be procured from the Fleece of a remarkable fine breed of Spanish Sheep the former from the Flax which grows spontaneous in the Woods. This with their education, the different Trades, and the Girls Housewifery and the use of the needle, will be full employment to the young Men, and will give them a great satisfaction – as there are now above a thousand children in the place. I hope in the time when the young Men will become useful members of Society and the Women faithful, that all of us must hope for our success in so laudable an undertaking – and if no material improvement can be made in all soon have it on a permanent establishment – I hope when an opportunity offers to the Governor in a few months since we left England, and I have not heard from any Friend I have. – The Colony taken up with his two capacities, particularly under the present circumstances, either in the Field with the Men, and I am often lonely enough, and sometimes perhaps fancy that I am however with respect to My Dear Sister I am always easy, under your protection I can only to add Col. P. best respects. [I]f any thing more happens before the sailing of my sister.

<1-061><1-n=f><1-n=b><1-age=40><1-status=1><1-abode=09><1-p=nsw><1-r=prw><1-tt=pc>

./{collection id}/{item id}


| |—— {metadata.xml}

| |—— file1.wav

| |—— file2.wav

| |—— file3.mp3

| |—— ... etc ... |



A scaleable, standards based platform  
for sustainable data.

The basis of Arkisto is that the long-term preservability of well-described data is *always* the first consideration.

Data on an Arkisto deployment is always available on disc (or object storage) with a complete description *independently* of any services such as websites or APIs. Once the data is safe and well described, Arkisto has a flexible model for how data can be accessed using a variety of services.

Arkisto is built on top of [Research Object Crate \(RO-Crate\)](#) and the [Oxford Common File System Layout \(OCFL\)](#).

With Arkisto there is no messy data migration.

```
{
```

```
  "conformsTo": "http://purl.archive.org/language-data-commons/profile"
```

```
}
```

Addressable  
resources



Local Data



<https://orcid.org/0000-0001-2345-6789>

ID? Title? Description?



Who created this data?



What parts does it have?



When?



What is it about?



How can it be reused?



As part of which project?



Who funded it?



How was it made?



[https://en.wikipedia.org/wiki/Scanning\\_electron\\_microscope](https://en.wikipedia.org/wiki/Scanning_electron_microscope)





## Recordings in South Efate

 Download all the metadata for Recordings in South Efate in JSON-LD format

[Check this crate](#)

## Browse files Recordings in South Efate

@id	/
name [?]	Recordings in South Efate
@type	<ul style="list-style-type: none"><li>Dataset</li><li>RepositoryObject</li></ul>
description [?]	NT1-98007. Text #047 (speaker is John Maklen. Text title: History of villages before Erakor); Text #049. Text title: Asarat (speaker is John Maklen);Text #050. Text title: Mumu Erakor—the spirit who lives at Erakor (speaker is John Maklen);Text #038. Text title: The need There are time-aligned transcripts of this item and handwritten transcripts by Manuel Wayane
memberOf [?]	<a href="https://catalog.paradisec.org.au/collections/NT1">https://catalog.paradisec.org.au/collections/NT1</a>
additionalType [?]	item
collector	Nick Thieberger
contentLanguages	<ul style="list-style-type: none"><li>Bislama</li><li>South Efate</li></ul>
countries	Vanuatu
dateCreated [?]	2012-09-27T10:08:01.000Z
dateModified [?]	2018-05-17T04:13:04.000Z
depositor	Nick Thieberger
digitisedOn	Mon Jan 01 2001 00:00:00 GMT+100 (Australian Eastern Daylight Time)


hasPart [?]


- NT1-98007-001.jpg
- NT1-98007-002.jpg
- NT1-98007-003.jpg
- NT1-98007-004.jpg
- NT1-98007-005.jpg
- NT1-98007-006.jpg
- NT1-98007-007.jpg
- NT1-98007-008.jpg
- NT1-98007-009.jpg
- NT1-98007-010.jpg
- NT1-98007-011.jpg
- NT1-98007-012.jpg
- NT1-98007-013.jpg
- NT1-98007-014.jpg

## Recordings in South Efate

 Download all the metadata for Recordings in South Efate in JSON-LD format

[Check this crate](#)

 Download: NT1-98007-001.jpg



@id	NT1-98007-001.jpg
name [?]	NT1-98007-001.jpg
@type	File
encodingFormat [?]	image/jpeg
contentSize [?]	1658368
dateCreated [?]	2012-09-27T10:08:01.000Z
dateModified [?]	2018-05-17T04:13:04.000Z

Home Advanced Search Transcription Search About

Versions: v1

Metadata Content


## Recordings in South Efate

Open (subject to agreeing to PDSC access conditions)

Item Identifier NT1/98007  
Collection NT1

NT1-98007. Text #047 (speaker is John Maklen. Text title: History of villages before Erakor); Text #048 (speaker is John Maklen. Text title: Mantu the flying fox and Erromango); Text #049. Text title: Asaraf (speaker is John Maklen); Text #050. Text title: Mumu and Kotkot (speaker is John Maklen); Text #051. Text title: Natopu ni Erakor—the spirit who lives at Erakor (speaker is John Maklen); Text #038. Text title: The need for respect (speaker is lokopeth) Stories can be seen at NT8-TEXT. There are time-aligned transcripts of this item and handwritten transcripts by Manuel Wayane scanned as jpg files.

Erakor village



Contributors

- Nick Thieberger - collector, depositor, recorder
- Kalsarap Namaf - speaker
- lokopeth - speaker
- John Maklen - speaker
- Waia Tenene - speaker

Publisher

- University of Melbourne

Countries

- Vanuatu (VU)

Cite As

Nick Thieberger (collector, depositor, recorder), Kalsarap Namaf (speaker), lokopeth undefined (speaker), John Maklen (speaker), Waia Tenene (speaker), 1998. Recordings in South Efate. Item NT1/98007 in the PARADISEC Collection, paradisc.org.au. <https://dx.doi.org/10.4225/72/56F94A61DA9EC>.

Show OCFI inventory file Show RO-Crate Show Data files


Versions: v1

Metadata Content

You have agreed to the conditions of access for viewing the content of this item. To review the conditions [click here](#).

Images Audio XML Files

NT1-98007-001.jpg



<https://mod.paradisc.org.au>

The structure an *RO-Crate* MUST follow is:

```
<RO-Crate root directory>/
|  ro-crate-metadata.json    # RO-Crate Metadata File MUST be present
|  ro-crate-preview.html     # RO-Crate Website homepage MAY be present
|  ro-crate-preview_files/   # MAY be present
|  | [other RO-Crate Website files]
|  [payload files and directories] # 0 or more
```

# Dataset

A Schema.org Type

Thing > CreativeWork > Dataset

[more...]

A body of structured information describing some topic(s) of interest.

Property	Expected Type	Description
<b>Properties from Dataset</b>		
<b>distribution</b>	DataDownload	A downloadable form of this dataset, at a specific location, in a specific format.
<b>includedInDataCatalog</b>	DataCatalog	A data catalog which contains this dataset. Supersedes <b>includedDataCatalog</b> , <b>catalog</b> . Inverse property: <b>dataset</b>
<b>issn</b>	Text	The International Standard Serial Number (ISSN) that identifies this serial publication. You can repeat this property to identify different formats of, or the linking ISSN (ISSN-L) for, this serial publication.
<b>measurementTechnique</b>	Text or URL	A technique or technology used in a <b>Dataset</b> (or <b>DataDownload</b> , <b>DataCatalog</b> ), corresponding to the method used for measuring the corresponding variable(s) (described using <b>variableMeasured</b> ). This is oriented towards scientific and scholarly dataset publication but may have broader applicability; it is not intended as a full representation of measurement, but rather as a high level summary for dataset discovery.  For example, if <b>variableMeasured</b> is: molecule concentration, <b>measurementTechnique</b> could be: "mass spectrometry" or "nmr spectroscopy" or "colorimetry" or "immunofluorescence".  If the <b>variableMeasured</b> is "depression rating", the <b>measurementTechnique</b> could be "Zung Scale" or "HAM-D" or "Beck Depression Inventory".  If there are several <b>variableMeasured</b> properties recorded for some given data object, use a <b>PropertyValue</b> for each <b>variableMeasured</b> and attach the corresponding <b>measurementTechnique</b> .
<b>variableMeasured</b>	PropertyValue or Text	The <b>variableMeasured</b> property can indicate (repeated as necessary) the variables that are measured in some dataset, either described as text or as pairs of identifier and description using <b>PropertyValue</b> .
<b>Properties from CreativeWork</b>		
<b>about</b>	Thing	The subject matter of the content. Inverse property: <b>subjectOf</b>
<b>abstract</b>	Text	An abstract is a short description that summarizes a <b>CreativeWork</b> .



# OLAC Linguistic Data Type Vocabulary

**Date issued:** 2002-06-28

**Status of document:** *WithdrawnRecommendation.*

**This version:** <http://www.language-archives.org/REC/type-20020628.html>

**Latest version:** <http://www.language-archives.org/REC/type.html>

**Previous version:** <http://www.language-archives.org/REC/type-20020612.html>

**Abstract:** This document specifies the controlled vocabulary of language resource types used by OLAC. The linguistic data type vocabulary describes the nature of the content of a resource from a linguistic standpoint.

**Editors:** Heidi Johnson (<mailto:ailla@ailla.org>)  
Helen Aristar Dry (<mailto:hdry@linguistlist.org>)

**Changes since previous version:** Adds: transcription/phonemic, transcription/kinesic, annotation/translation, annotation/phonological, annotation/semantic, annotation/eye-gaze, annotation/facial-expression, description/phonological, description/kinesic, description/pedagogical, description/comparative, dataset/kinesic.

Deletes: transcription/eye-gaze, transcription/facial-expression, transcription/translation, transcription/phonological, transcription/semantic, description/eye-gaze, description/facial-expression, dataset/eye-gaze, dataset/facial-expression. Genre Type section.

Copyright © Heidi Johnson (University of Texas at Austin), Helen Aristar Dry (Eastern Michigan University) . This material may be distributed and repurposed subject to the terms and conditions set forth in the [Creative Commons Attribution-ShareAlike 2.5 License](https://creativecommons.org/licenses/by-sa/2.5/).

## Table of contents

1. [Introduction](#)
2. [Linguistic Data Type](#)
  - [transcription](#)
    - [transcription/phonetic](#)
    - [transcription/phonemic](#)
    - [transcription/prosodic](#)
    - [transcription/orthographic](#)
    - [transcription/gestural](#)
    - [transcription/kinesic](#)
    - [transcription/musical](#)
  - [annotation](#)
    - [annotation/phonetic](#)
    - [annotation/phonological](#)
    - [annotation/prosodic](#)
    - [annotation/gestural](#)
    - [annotation/kinesic](#)
    - [annotation/morphological](#)
    - [annotation/part-of-speech](#)
    - [annotation/syntactic](#)
    - [annotation/semantic](#)

# Language Data Ontology

This is an experimental language data ontology based on OLAC terms for use in the ATAP and LDaCA projects

## Classes

[PrimaryText](#) | [Annotation](#) | [CollectionEvent](#) | [CollectionProtocol](#) | [DerivedResource](#) | [OrganizationBasedLicense](#) | [OrganizationDepositLicense](#) | [OrganizationReuseLicense](#) | [PersonSnapshot](#)

## Properties

[annotationOf](#) | [annotationType](#) | [annotator](#) | [author](#) | [channels](#) | [collectionEventType](#) | [collectionProtocolType](#) | [compiler](#) | [consultant](#) | [dataInputter](#) | [depositor](#) | [derivationOf](#) | [developer](#) | [doi](#) | [editor](#) | [geoJSON](#) | [hasAnnotation](#) | [hasDerivation](#) | [illustrator](#) | [indexableText](#) | [interpreter](#) | [interviewee](#) | [interviewer](#) | [recorder](#) | [register](#) | [researchParticipant](#) | [hasCollectionProtocol](#) | [isDeidentified](#)

## DefinedTerms

[Coded](#) | [Dialogue](#) | [Drama](#) | [Elicitation](#) | [Orthographic](#) | [PartOfSpeech](#) | [Phonetic](#) | [Song](#) | [SpokenLanguage](#) | [Syntactic](#) | [WrittenLanguage](#) | [WhistledLanguage](#)

## DefinedTermsSets

## Class: PrimaryText

This is a primary resource: the object of study, such as a literary work, film, or recording of natural discourse

### Property: linguisticGenre

A linguistic classification of the genre of this resource


**Values expected to be one of these types:**

**Used on these types:**

[ <https://purl.archive.org/language-data-commons/terms#PrimaryText> ] ]


**Values expected to be one of these defined terms:**

[ [Formulaic](#) ] | [ [Thesaurus](#) ] | [ [Dialogue](#) ] | [ [Oratory](#) ] | [ [Report](#) ] | [ [Ludic](#) ] | [ [Procedural](#) ] | [ [Narrative](#) ] | [ [Interview](#) ] | [ [Drama](#) ] | [ [Informational](#) ] ]




## Self contained corpus crate with all resources

ROcrate: My Corpus



# Complete corpus collection metadata-only crate w/ links to object packages





Use another service



Resource: local:/home/pt/working/language-research-technology/corpus-tools-sydney-speaks/template



Profile: Language Data Commons top level Collection (corpus) (0.1)

Build the Collection

Manage Collection Data Files

Browse Collection Entities

Manage Templates

Load Root Dataset

About

## Conforms To

A link to the Text Commons RO-Crate profile for collections

URL: <https://purl.archive.org/language-data-commons/profile#Collection>



Main

Related items

## Description

An abstract of the collection. Include as much detail as possible about the motivation and use of the collection, including things that we do not yet have properties for

The Sydney Speaks Collection brings together three sub-corpora of recorded spontaneous speech: Sydney Speaks 2010s, Sydney Social Dialect Survey, and NSW Bicentennial Oral History Collection. The Sydney Speaks 2010s Corpus speakers include a cross-section of Sydney's residents, consisting of recordings



Collection Structure

Space and Time

...

## Author

The person or organization responsible for creating this collection of data

+ Person

+ Organization



Person: Catherine Travis



# Sydney Speaks

online via the State Library of NSW and the National Library of Australia. We thank the National Library of Australia for granting us extended access to this collection.

[Open metadata in a new window](#)

[? @id](#) <arcp://name,sydney-speaks/corpus/root>

**Temporal Cover age** 1900

**Citation** Sydney Speaks Corpus Manual [PDF]

**Conforms To** <https://purl.archive.org/textcommons/profile#Collection>

**Funder** ARC

**Author** Catherine Travis

**Publisher** Australian National University

**Identifier** ATAP

Sub Collections: 3

[Sydney Speaks 2010s](#)

[Sydney Social Dialectal Survey](#)

[NSW Bicentennial Oral History Collection](#)

LDaCA Hub

## Sydney Speaks 2010s

[? @id](#) <arcp://name,sydney-speaks/subcorpus/SYDS>

**Temporal Cover age** 2010-2019

**Conforms To** <https://purl.archive.org/textcommons/profile#Collection>

**Identifier** ATAP

Items in Collection: 169

- [2018-05-02 - interview with Enrico Ontario - alias - \(Male, 53\)](#)
- [2019-05-16 - interview with Toby Angeliz - alias - \(Male, 21\)](#)
- [2017-07-23 - interview with Angela Wang - alias - \(Female, 24\)](#)
- [2018-11-07 - interview with Elaine Ossani - alias - \(Female, 19\)](#)
- [2016-05-25 - interview with Tessa Hopkins - alias - \(Female, 52\)](#)
- [2019-01-31 - interview with Craig Beer - alias - \(Male, 31\)](#)
- [2017-07-04 - interview with Julia Amoroso - alias - \(Female, 20\)](#)

LDaCA Hub

Help

Mr Moises Sacal Bonequi

## 2018-05-02 - interview with Enrico Ontario - alias - (Male, 53)

Help

Mr Moises Sacal Bonequi, member of group: [y-speaks/licence/A](#)

[sydney-speaks/SYDS/item/83](#)

[archive.org/textcommons/profile#Object">archive.org/textcommons/profile#Object](#), [sydney-speaks/schema/csv](#)

ario - alias - status when interviewed 2018-05-02

[Sydney Speaks License A](#)  
Public Metadata Indexed

### Access

Collection Level Metadata License (can display metadata)

[Read more](#)

[Sydney Speaks License E](#)

Public Metadata

Indexed

### Member Of

Sydney Speaks


### Content

Language

English : 427

Linguistic Genre

Demo



The image shows a web browser window displaying the Binder interface. At the top center is the Binder logo, which consists of three interlocking rings in blue, orange, and purple, followed by the word "binder" in a bold, sans-serif font. Below the logo is a circular progress indicator with the same color scheme. The main text in the center reads: "Starting repository: Australian-Text-Analytcs-Platform/farms-to-freeways/main". Below this, a smaller line of text states: "If a repository takes a long time to launch, it is usually because Binder needs to clone the repository for the first time." Below the text is a thin, light gray horizontal bar. At the bottom of the browser window, a JupyterLab interface is visible, showing the "jupyter" logo and a toolbar with icons for search, home, refresh, and other functions. The main content area of the JupyterLab interface displays the title "Loading Farms to Freeways from the API and ro-crate metadata file" and a paragraph of introductory text.

Starting repository: Australian-Text-Analytcs-Platform/farms-to-freeways/main

If a repository takes a long time to launch, it is usually because Binder needs to clone the repository for the first time.

jupyter

Search Home Refresh

### Loading Farms to Freeways from the API and ro-crate metadata file

The language (and Community of Interest) packages all their data collections in an `ro-crate`. There is a metadata file called `ro-crate-metadata.json` that comes with every data collection and file in how to use it. This is the first step in the process of loading data.